







MEO



**PRIORITY** 

COMPLIANCE WITH RULE 17.1(a) OR (b)

The Patent Office Concept House Cardiff Road Newport South Wales NP10 800

PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before reregistration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely e company to certain additional company law rules. ubject



Signed MANUMEN e


Dated 25 May 2000

CERTIFIED COPY OF PRIORITY DOCUMENT THIS PAGE BLANK (USPTO)



Patente Act 1077





# Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form) THE PATENT OFFICE K 19 MAY 1999 RECEIVED BY POST

The Patent Office

Cardiff Road Newport Gwent NP9 1RH

1.	Your reference		PHM 99-075/GB/P		
2.	Patent application number (The Patent Office will fill in this part)	179 MAY	1999 99	911499.3	
3.	Full name, address and postcode of the or of each applicant (underline all surnames)		Zeneca Limited 15 Stanhope Gate London W1Y 6LN GB		
	Patents ADP number (if you know it)		6254007002 <sub>1</sub>		
	If the applicant is a corporate body, give the country/state of its incorporation				
4.	Title of the invention		MEDICAMENT		
<u> </u>	Name of your agent (if you bave one)	•	BILL, Kevin	<u> </u>	
	"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)		Intellectual Property Departm ZENECA Pharmaceuticals Mereside, Alderley Park Macclesfield, Cheshire	ent	
			SK10 4TG . GB		
	Patents ADP number (if you know it)		4469847002		
6.	If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number		Country Priority application number (if you know it)	Date of filing (day / month / year)	
<del></del> 7.	If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application	Number of	earlier application	Date of filing (day / month / year)	

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

a) any applicant named in part 3 is not an inventor, or

b) there is an inventor who is not named as an applicant, or

. رزم عالما على

# P ents Form 1/77

Do not count copies of the same document

Continuation sheets of this form

Description

5 / 0/

Claim(s)

**Abstract** 

Drawing(s)

If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11.

I/We request the grant of a patent on the basis of this application.

gnature M

18 May 99

12. Name and daytime telephone number of person to contact in the United Kingdom

MRS LYNDA M SLACK - 01625 516173

#### Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

#### **Notes**

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.

### **MEDICAMENT**

This invention relates to a method of controlling the weight of patients and is particularly concerned with a method of treating psychoses in patients who are exhibiting 5 diabetes or who at risk from developing diabetes.

It is well recognised that there is a link between obesity and diabetes, especially type II diabetes, and that moderate to severe obesity increases the risk of developing diabetes. It is also widely accepted that weight loss results in metabolic improvement and hence in glycaemic control and insulin sensitivity which in turn give rise to improvements in 10 cardiovascular risk factors. This is reported by, for example, Bosello et al, Int. J. of Obesity, (1997) 21, Suppl 1, S10-13.

In addition to lifestyle factors such as exercise and diet there are other factors which may play have a detrimental effect in weight management. A particular example of these other factors is the weight gain sometimes experienced with certain medication.

It is known that anti-psychotic agents such as clozapine tend to result in patients gaining weight. This in itself is generally undesirable but is more so in patients who are diabetic or who at risk from developing diabetes.

We have now unexpectedly found that 11-(4-[2-(2-hydroxyethoxy)ethyl]-1-piperazinyl)-dibenzo[b,f][1.4]thiazepine has properties which means that it is potentially useful in managing the weight of patients. In particular, we have found that, unlike a clozapine, 11-(4-[2-(2-hydroxyethoxy)ethyl]-1-piperazinyl)-dibenzo[b,f][1.4]thiazepine has the unusual effect of inducing weight loss.

The compound 11-(4-[2-(2-hydroxyethoxy)ethyl]-1-piperazinyl)-dibenzo[b,f][1.4]thiazepine and its use in treating schizophrenia is described in granted 25 European Patent No. EP 240,228.

The term "Agent" referred to hereinafter means 11-(4-[2-(2-hydroxyethoxy)ethyl]-1-piperazinyl)-dibenzo[b,f][1.4]thiazepine or a pharmaceutically acceptable salt thereof.

According to the present invention there is provided a method of managing the weight of a patient comprising administering on effective amount of the "Agent" thereof to 30 said patient..

Thus, the present invention also provide the use of the "Agent" for the manufacture of a medicament for managing the weight of a patient.

According to the present invention there is also provided method of treating psychoses in a patient who is diabetic or who is at risk from developing diabetes which 5 method comprises administering an effective amount of the "Agent" to said patient.

Thus, the present invention also provides the use of the "Agent" for the manufacture of a medicament for treating psychoses in a patient who is diabetic or who is at risk from developing diabetes.

In particular the patient is diabetic, that is exhibiting one or more of the symptoms of 10 diabetes.

The "Agent" is particularly effective in inducing weight loss in patients who have tended to gain weight when treated with other antipsychotics such as clozapine. Under such circumstances, the "Agent" may reverse at least part of any weight gained as a result of treatment with the antipsychotic such as clozapine.

15 The "Agent" may be administered as the compound, 11-(4-[2-(2-hydroxyethoxy)ethyl]-1-piperazinyl)-dibenzo[b,f][1.4]thiazepine or may be administered in the form of a pharmaceutically acceptable salt. Examples of suitable salts include, for example, chloride, maleate, fumarate, citrate, phosphate, methane sulphonate and sulphate salts. Preferred salts include fumarates and a particularly preferred salt is the hemi-fumarate.

It is generally preferred that the "Agent" comprises the compound 11-(4-[2-(2-hydroxyethoxy)ethyl]-1-piperazinyl)-dibenzo[b,f][1.4]thiazepine in the form of a salt, and in particular a fumarate (2:1) salt.

In the treatment of the diseases mentioned above the "Agent" may be administered orally or parenterally in a conventional dosage form such as tablets, pills, capsules,

25 injectables or the like. The dosage in mg/kg of body weight of the compound used to treat mammals will vary according to the size of the mammal and particularly with respect to the brain/body weight ratio. In general, a higher mg/kg dosage for a small animal such as a dog will have the same effect as a lower mg/kg dosage in an adult human. A minimum effective dosage for the "Agent" will be at least about 1.0 mg/kg of body weight per day for mammals

30 with a maximum dosage for a small mammal such as a dog, of about 200 mg/kg per day.

For humans, a dosage of about 1.0 to 40 mg/kg per day will generally be effective.

Typically, a dosage of about 25mg to 800mg per day will generally be effective.

Usually, a dosage of about 150mg to 750mg per day will be administered, with a convenient dosage being about 300mg per day. In some groups of patients a lower dosage may be preferred such as 100mg per day. The dosage can be given once daily or in divided doses, for example, 2 to 4 doses daily. The dose may be conventionally formulated in an oral or parenteral dosage form by compounding 25 to 500 mg per unit dosage of conventional vehicle, excipient, binder, preservative, stabiliser, flavour or the like as called for by accepted pharmaceutical practice, for example, as described in US Patent 3,755,340.

The "Agent" may be used in pharmaceutical compositions as the sole active ingredient or may be contained in a pharmaceutical composition together with one or more other active ingredients, or it may be co-administered with one or more known drugs.

The "Agent" may be administered in conjunction with one or more other agents useful for treating diabetes.

The "Agent" may be administered in conjunction with one or more other agents useful for treating psychoses.

As indicated above, where the "Agent" is administered in conjunction with another agent it may be administered simultaneously, sequentially or separately with that other agent or agents. Thus, as indicated above the "Agent" may be formulated with the other agent or 20 agents or may be presented as a separate formulation.

Thus in one aspect of the present invention there is provided a pharmaceutical composition comprising the "Agent" an agent known for treating diabetes together with a pharmaceutically acceptable diluent or carrier.

In a further aspect there is provided a pharmaceutical composition comprising the 25 "Agent" and an agent for treating diabetes for simultaneous, sequential or separate administration.

The preparation of 11-(4-[2-(2-hydroxyethoxy)ethyl]-1-piperazinyl)-dibenzo[b,f][1.4]thiazepine and its pharmaceutically acceptable salts is described in, for example, granted European Patents Nos. EP 240,218; EP 282,236 and in pending

-4-

International Patent Application No. PCT/GB98/02260. This compound is commercially available under the generic name quetiapine fumarate.

The invention will now be illustrated with reference to the following, non-limiting examples.

5

# Example 1

Body weight data were collected for a group of 65 randomly-selected schizophrenic patients who were on clozapine initially (200 - 800 mg/day for 6 months) and then had quetiapine added to their therapy. Weights were recorded monthly, and status of diabetes 10 follow-up was also performed. Clozapine dosages were reduced as quetiapine was added. The duration of treatment with quetiapine was 10 months. Data were extracted from retrospective chart review of 65 patients who were prospectively assigned to clozapine-quetiapine therapy. All 65 patients showed weight loss ranging from 0.5 to 23 lbs, with a mean loss of 3.98 lbs, after the first month of combination treatment; the quetiapine dose at 15 one month ranged from 200 - 800 mg/day. The improvement continued throughout the 10-month study period. Total weight loss ranged from 1 to 41 lbs, with a mean loss of 9.2 lbs over the course of the study. Twenty per cent of patients developed diabetes during clozapine monotherapy and each showed significant improvement of diabetes with addition of quetiapine, as assessed through monthly blood monitoring and clinical improvement.

Thus, an unexpected clinical effect of quetiapine is its apparent propensity to induce weight loss and help with diabetes management in patients who gain weight and develop diabetes on clozapine.

Note: quetiapine is 11-(4-[2-(2-hydroxyethoxy)ethyl]-1-piperazinyl)-dibenzo[b,f][1,4]thiazepine fumarate (2:1) salt.

25

## Example 2

The following illustrate representative pharmaceutical dosage forms containing the compound 11-(4-[2-(2-hydroxyethoxy)ethyl]-1-piperazinyl)-dibenzo[b,f][1,4]thiazepine and salts thereof.

	(a) Tablet			mg/tablet
5	Quetiapine			50.0
	Mannitol, USP			223.75
	Croscarmellose sodium		*	6.0
	Maize starch			15.0
	Hydroxypropylmethylcellulose (HPMC),			2.25
10	Magnesium stearate			3.0
	(b) Capsule			
	Quetiapine			10.0
	Mannitol, USP		•	488.5
15	Croscarmellose sodium			15.0
	Magnesium stearate			1.5

The above formulations may be obtained by conventional procedures well known in the pharmaceutical art. The tablets may be enteric coated by conventional means, for 20 example to provide a coating of cellulose acetate phthalate.

A preferred formulation is that available commercially as quetiapine fumarate from ZENECA Limited.

In formulations comprising a combination of active ingredients the further ingredients may be included in the above formulations.

PCT/GB 00/018

THIS PAGE BLANK (USPTO)